Update on EPA's Stormwater Rulemaking

EPA's Stormwater Ru

- Primary focus is to protect water bodies for construction discharges from developed
- Rule may establish a volume retention stapermitting authorities may impose additing requirements on dischargers, if needed, to wasteload allocations in a TMDL
- Other actions are being developed to probodies from discharges during the active phase
 - Construction and Development Effluent Guid
 - Construction General Permit

Stormwater in

- Urban stormwater is a
 - 22,559 miles of impair
 - 701,024 acres of impa
 - 867 square miles of im
- Fast growing water qu
 - 800,000 acres being degrowing to ~2.1 million
 - Rate of development i.
- Development increase impervious cover in th
 - Currently 100 million a
 - Discharge from 1 acre land
- Small increase in impd
 - Watersheds with <1-2^e
 - Watersheds with >5-1

 degraded levels, loss o





- Stormwater Polluti
 - Cause beach closue through bacterial (
 - Impact fisheries an
 - Sedimentation (
 - Nutrients (reduct
 - Metals (poses a
 - Temperature (af
 - Increase the costs
- Hydrologic Impacts
 - Causes flooding, sc
 - Reduces groundwa baseflows to becor

Smarter Stormwate

Traditional approach

- Convey stormwater quickly from site to waterbody or detention ponds
- Manage peak flows for flood control, drainage and large scale downstream erosion.

New approach

- View stormwater as a resource
- Slow down the flow, allow to infiltrate
- Reduces pollutant loads to waterbodies
- Obtain multiple community benefits







- Regulate acres or
- Establish stormwa
- Encomp:

Phase II -

- Regulat∈ the Cens
- − Urbaniz€
- Requires minimur
 - Publ
 - Publi
 - Illicit
 - Pollu
 - Activ
 - Post
- Encompa










- 1. Establi
 - New
 - --
 - Red€
 - (
 - Coul outs
- 2. Requir from e
- 3. Extend

Elemen

- Considerations
 - Types of sites: re
 - Recognize state regionally/muni
- Discharges from N
 - Standard may r€
 - Rule could allow
 - Standard would onsite could be release
 - Site constraints
- Recommend Lowe
 - Recognize site c
 - Encourage rede√
 - Provide incentiv







| _ |
|---|
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| 5. |
| |
| |
| |
| |
| |
| |
| |
| |
| i de la companya de |
| |
| |

Eleme Protectio

- Considerations
 - Helps ensure standard
 - Reduces need for expe
 - Builds on existing fram must oversee directly)
 - Implements 6 minimur
- Options
 - 1. No change –Urbanized
 - 2. Jurisdiction boundaries boundary
 - 3. Urbanized clusters as d
 - -Reaches unregulated
 - 4. Small watershed which
 - -Reaches areas of high
 - -Promotes watershed
 - 5. Combination of 3 and
 - 6. Principal Arterial Roads

Considerat

- How to phase in requiremer
 - Effective date
 - Time needed to change codes
- Size threshold for newly regi
- Size threshold for MS4s to di

Rulemak

- 9/30/11 Proposal Si
- 11/19/12 Final Actio

lg Schedule

d